Table of contents

Abe, K → Kishimoto, N
Adam-Blondon, AF, Sévignac, M, Bannerot, H, Dron, M: SCAR, RAPD and RFLP markers linked to a dominant gene (*Are*) conferring resistance to anthracnose in common bean 865
Afanador, LK → Haley, SD
Ahuja, MR, Devey, ME, Groover,AT, Jermstad, KD, Neale, DB: Mapped DNA probes from loblolly pine can be used for restriction fragment length polymorphism mapping in other conifers 279
Al-Janabi, SM, McClelland, M, Petersen, C, Sobral, BWS: Phylogenetic analysis of organellar DNA sequences in the Andropogoneae: Saccharinae 933
Allard, RW → Pérez de la Vega M
Allona, I, Casado, R, Aragoncillo, C: Biochemical genetics of a 7S globulin-like protein from *Pinus pinaster* seed 454
Alonso-Blanco, C, Goicoechea, PG, Roca, A, Alvarez, E, Giraldez, R: Genetic mapping of cytological and isozyme markers on chromosomes 1R, 3R, 4R and 6R of rye 208
Alvarez, E → Alonso-Blanco, C
Anderson, MA → Kowyama, Y
Anderson, OD → D'Ovidio, R
Angeles, ER → Multani, DS
Annicchiarico, P, Piano, E: Interference effects in white clover genotypes grown as pure stands and binary mixtures with different grass species and varieties 153
Aragoncillo, C → Allona, I
Arai, S, → Kishimoto, N
Armbrust, TA, Eisen, EJ: Effect of cryprotectant and genetic selection for body fat content on embryonic cryosurvival in mice 479
Asins, MJ → Bretó, MP
Askew, GR, El-Kassaby, YA: Estimation of relationship coefficients among progeny derived from wind-pollinated orchard seeds 267

Baenziger, PS → Yen, Y
Bahksh, A → Erskine, W
Bahrman, N, Zivy, M, Damerval, C, Baradat, Ph: Organisation of the variability of abundant proteins in seven geographical origins of maritime pine (*Pinus pinaster* Ait.) 407
Balfourier, F → Charmet, G
Balint-Kurti, PJ, Dixon, MS, Jones, DA, Norcott, KA, Jones, JDG: RFLP linkage analysis of the *Cf-4* and *Cf-9* genes for resistance to *Cladosporium fulvum* in tomato 691
Bańbura, J: A new model of lateral plate morph inheritance in the threespine stickleback, *Gasterosteus aculeatus* 871
Banga, SS → Jain, A
Bannerot, H → Adam-Blondon, AF
Bannerot, H → Hervieu, F
Bannerot, H → Vermeulen, A
Bar-Zvi, D → Lapidot, M
Baradat, Ph → Bahrman, N
Baranger, A → Eber, F
Barker, H, Solomon-Blackburn, RM, McNicol, JW, Bradshaw, JE: Resistance to potato leaf roll virus multiplication in potato is under major gene control 754
Bates, GW → Trick, H
Baysdorfer, C → Chao, S
Belajouza, M → Dirlewanger, E
Bergervoet, JEM → Flipse, E
Bergervoet-van Deelen, JEM → Jacobsen, E
Bervillé, A → Peltier, D
Besse, P, Seguin, M, Lebrun, P, Chevallier, MH, Nicolas, D, Lanaud, C: Genetic diversity among wild and cultivated populations of *Hevea brasiliensis* assessed by nuclear RFLP analysis 199
Bettini, P → Storti, E
Beversdorf, WD → Chen, JL
Bhatia, CR → Reddy, KS
Bhatia, S → Jain, A
Binelli, G, Bucci, G: A genetic linkage map of *Picea abies* Karst., based on RAPD markers, as a tool in population genetics 283
Biradar, DP, Bullock, DG, Lane Rayburn, A: Nuclear DNA amount, growth, and yield parameters in maize 557
Birhman, RK, Laublin, G, Cappadocia, M: Genetic control of in Vitro shoot regeneration from leaf explants in *Solanum chacoense* Bitt. 535
Bittini, P → Storti, E
Biyashev, RM → Saghai Maroof, MA
Blanchard, P → Tersac, M
Bogani, P → Storti, E
Bogdanov, Yu. F → Fedotova, Yu. S
Bonen, L → DeVerno, LL
Bongiovanni, M → Castagnone-Sereno, P
Börner, T → Lorenz, M
Bouchereau, A → Delourme, R
Boudry, P, Wieber, R, Saumitou-Laprade, P, Pillen, K, Van Dijk, H, Jung, C: Identification of RFLP markers closely linked to be bolting gene *B* and their significance for the study of the annual habit in beets (*Beta vulgaris* L.) 852
Bradshaw, JE → Barker, H
Bramel-Cox, PJ → Menkir, A
Brar, DS → Multani, DS
Bretó, MP, Asins, MJ, Carbonell, EA: Salt tolerance in *Lycopersicon* species. III. Detecion of quantitative trait loci by means of molecular markers 395
Brunel, D → Tersac, M
Bucci, G → Binelli, G
Buiatti, M → Storti, E
Bullen, MR → Qai, Q
Bullock, DG → Biradar, DP

Caccia, R → Frediani, M
Camargo, LEA → Thormann, CE
Campos, LP, Raelson, JV, Grant, WF: Genome relationships among *Lotus* species based on random amplified polymorphic DNA (RAPD) 417
Cappadocia, M → Birhman, RK
Carbonell, EA → Bretó, MP
Caretto, S, Giardina, MC, Nicolodi, C, Mariotti, D: Chlorosulfuron resistance in Daucus carota cell lines and plants: involvement of gene amplification 520
Casado, R → Allona, I
Cassol, T, Clair, DA St: Inheritance of resistance to blackmold (*Alternaria alternata* (Fr.) Keissler) in two interspecific crosses of tomato (*Lycopersicon esculentum* × *L. cheesmanii* f. *typicum*) 581
Castagna, R, Maga, G, Perenzin, M, Heun, M, Salamini, F: RFLP-based genetic relationships of Einkorn wheats 818
Castagnone-Sereno, P, Wajnberg, E, Bongiovanni, M, Leroy, F, Dalmasso, A: Genetic variation in *Meloidogyne incognita* virulence against the tomato *Mi* resistance gene: evidence from isofemale line selection studies 749
Chandra, S: Efficiency of check-plot designs in unreplicated field trials 618
Chantereau, J → Deu, M
Chao, S, Baysdorfer, C, Heredia-Diaz, O, Musket, T, Xu, G, Coe, EH Jr: RFLP mapping of partially sequenced leaf cDNA clones in maize 717
Chapman, CGD → Phillips, WJ
Charest, PJ → DeVerno, LL
Charmet, G → Monestiez, P
Charmet, G, Balfourier, F, Monestiez, P: Hierarchical clustering of perennial ryegrass populations with geographic contiguity constraint 42
Chen, FQ, Prehn, D, Hayes, PM, Mulrooney, DM, Corey, A, Vivar, H: Mapping genes for resistance to barley stripe rust (*Puccinia striiformis* f. sp. *hordei*) 215
Chen, JL, Beversdorf, WD: A combined use of microprojectile bombardment and DNA imbibition enhances transformation frequency of canola (*Brassica napus* L.) 187
Chen, PD, Tsujimoto, H, Gill, BS: Transfer of *Ph*^{1} genes promoting homoeologous pairing from *Triticum speltoides* to common wheat 97
Chevalet, C → Elsen, JM
Chevallier, MH → Besse, P
Chèvre, AM → Eber, F
Chinnappa, CC → Chong, DKX
Chong, DKX, Chinnappa, CC, Yeh, FC, Chuong, S: Chloroplast DNA inheritance in the *Stellaria longipes* complex (Caryophyllaceae) 614
Christensen, A → Wang, CS
Chung, MC, Wu, HK: Cytological identification of the chromosomes involved in Nishimura's rice translocation lines 956
Chuong, S → Chong, DKX
Cionini, PG → Frediani, M
Clair, DA St → Cassol, T
Clarke, AE → Kowyama, Y
Coe, EH Jr → Chao, S
Coffin, RH → Pereira, A da S
Cohen, D → Yao, J-L
Colonna, N → Frediani, M

Connolly, AG, Godwin, ID, Cooper, M, DeLacy, IH: Interpretation of randomly amplified polymorphic DNA marker data for fingerprinting sweet potato (*Ipomoea batatas* L.) genotypes 332
Cooper, M → Connolly, AG
Cooper, M → Mirzawan, PDN
Cooper, M, DeLacy, IH: Relationships among analytical methods used to study genotypic variation and genotype-by-environment interaction in plant breeding multi-environment experiments 561
Corey, A → Chen, FQ
Cousin, R → Dirlewanger, E
Cremonini, R → Frediani, M
Cromey, MG → Pickering, RA
Cross, RJ: Geographical trends within a diverse spring barley collection as identified by agro/morphological and electrophoretic data 597
Cross, RJ, Wallace, AR: Loss of genetic diversity from heterogeneous self-pollinating genebank accessions 885
Czosnek, H → Zamir, D

Dalmasso, A → Castagnone-Sereno, P
Damerval, C → Bahrman, N
Damgaard, C, Loeschcke, V: Inbreeding depression and dominance-suppression competition after inbreeding in rapeseed (*Brassica napus*) 321
Dane, F → Huang, H
Daniel, MK → Jacobsen, E
De Pace, C → Frediani, M
de Halac, IN → Harte, C
de los Reyes, BG → Multani, DS
de Vienne, D → Dirlewanger, E
de Vries, BJ → Flipse, E
Degremont, I → Deu, M
Del-Favero, J, Vauterin, M, Weyens, G, Edwards, KE, Jacobs, M: Construction and characterisation of a yeast artificial chromosome library containing five haploid sugarbeet (*Beta vulgaris* L.) genome equivalents 449
DeLacy, IH → Connolly, AG
DeLacy, IH → Cooper, M
DeLacy, IH → Mirzawan, PDN
Delgado Salinas, A → Llaca, V
Delourme, R, Bouchereau, A, Hubert, N, Renard, M, Landry, BS: Identification of RAPD markers linked to a fertility restorer gene for the *Ogura* radish cytoplasmic male sterility of rapeseed (*Brassica napus* L.) 741
Delre, V → Frediani, M
Desprez, B → Vermeulen, A
Deu, M, Gonzalez-de-Leon, D, Glaszmann, J-C, Degremont, I, Chantereau, J, Lanaud, C, Hamon, P: RFLP diversity in cultivated sorghum in relation to racial differentiation 838
Devaux, P, Zivy, M: Protein markers for anther culturability in barley 701
DeVerno, LL, Charest, PJ, Bonen, L: Mitochondrial DNA variation in somatic embryogenic cultures of *Larix* 727
Devey, ME → Ahuja, MR
Devey, ME, Fiddler, TA, Liu B-H, Knapp, SJ, Neale, DB: An RFLP linkage map for loblolly pine based on a three-generation outbred pedigree 273
Diers, BW, Osborn, TC: Genetic diversity of oilseed *Brassica napus* germ plasm based on restriction fragment length polymorphisms 662
Dirlewanger, E, Isaac, PG, Ranade, S, Belajouza, M, Cousin, R, de Vienne, D: Restriction fragment length polymorphism analysis of loci associated with disease resistance genes and developmental traits in *Pisum sativum* L. 17
Dixon, MS → Balint-Kurti, PJ
D'Ovidio, R, Anderson, OD: PCR analysis to distinguish between alleles of a member of a multigene family correlated with wheat bread-making quality 759
D'Ovidio, R, Porceddu, E, Lafiandra, D: PCR analysis of genes encoding allelic variants of high-molecular-weight glutenin subunits at the *Glu-D1* locus 175
Dron, M → Adam-Blondon, AF
Dulieu, H → Peltier, D

Eber, F, Chèvre, AM, Baranger, A, Vallée, P, Tanguy, X, Renard, M: Spontaneous hybridization between a male-sterile oilseed rape and two weeds 362
Edwards, KE → Del-Favero, J
Edwards, MD, Page, NJ: Evaluation of marker-assisted selection through computer simulation 376
Ehdaie, B, Waines, JG: Genetic analysis of carbon isotope discrimination and agronomic characters in a bread wheat cross 1023
Eisen, EJ → Armbrust, TA
Ekstein-Michelson, I → Zamir, D
El-Kassaby, YA → Askew, GR
Ellis, RH → Erskine, W
Elsen, JM, Mangin, B, Goffinet, B, Chevalet, C: Optimal structure of protocol designs for building genetic linkage maps in livestock 129
Elston, RC → Fernando, RL
Erskine, W, Hussain, A, Tahir, M, Bahksh, A, Ellis, RH, Summerfield, RJ, Roberts, EH: Field evaluation of a model of photothermal flowering responses in a world lentil collection 423
Eshed, Y → Zamir, D
Eshed, Y, Zamir, D: Introgressions from *Lycopersicon pennellii* can improve the soluble-solids yield of tomato hybrids 891
Evans EJ → Islam, N

Fabrizius, MA, Openshaw, SJ: Methods to evaluate populations for alleles to improve an elite hybrid 653
Farcy, E → Peltier, D
Fauré, S → Héber, D
Fedotova, Yu. S, Bogdanov, Yu. F, Gadzhiyeva, SA, Sosnikhina, SA, Smirnov, VG, Mikhailova, EI: Meiotic mutants of rye *Secale cereale* L. II. The nonhomologous synapsis in desynaptic mutants *sy7* and *sy10* 1029
Fernández-Calvín, B, Orellana, J: Metaphase I-bound arms frequency and genome analysis in wheat-*Aegilops* hybrids. 3. Similar relationships between the B genome of wheat and S or S^1 genomes of *Ae. speltoides*, *Ae. Longissima* and *Ae. sharonensis* 1043
Fernando, RL, Stricker, C, Elston, RC: The finite polygenic mixed model: an alternative formulation for the mixed model of inheritance 573
Ferrario, S → Sari-Gorla, M
Ferreira, ME → Thormann, CE
Fiddler, TA → Devey, ME
Filion, WG → Somers, DJ
Flipse, E, Huisman, JG, de Vries, BJ, Bergervoet, JEM, Jacobsen, E, Visser, RGF: Expression of a wild-type GBSS gene introduced into an amylose-free potato mutant by *Agrobacterium tumefaciens* and the inheritance of the inserts at the microsporic level 369
Frascaroli, E → Sari-Gorla, M
Frascaroli, E, Galletti, S, Landi, P: Haplodiploid gene expression and pollen selection for tolerance to acetochlor in maize 780
Frediani, M, Colonna, N, Cremonini, R, De Pace, C, Delre, V, Caccia, R, Cionini, PG: Redundancy modulation of nuclear DNA sequences in *Dasyprum villosum* 167
Frei, U → Möllers, C
Frew, TJ → Timmerman, GM
Freymark, PJ, Lee, M, Martinson, CA, Woodman, WL: Molecular-marker-facilitated investigation of host-plant response to *Exserohilum turcicum* in maize (*Zea mays* L.): components of resistance 305
Frova, C → Sari-Gorla, M
Fu, YB, Ritland, K: On estimating the linkage of marker genes to viability genes controlling inbreeding depression 925

Gadzhiyeva, SA → Fedotova, Yu. S
Gale, MD → Liu, CJ
Gale, MD → Schachermayr, G
Galletti, S → Frascaroli, E
Gepts, P → Llaca, V
Gerber, S, Rodolphe, F: An estimation of the genome length of maritime pine (*Pinus pinaster* Ait.) 289
Gerber, S, Rodolphe, F: Estimation and test for linkage between markers: a comparison of lod score and χ^2 test in a linkage study of maritime pine (*Pinus pinaster* Ait.) 293
Gianola, D → Wang, CS
Giardina, MC → Caretto, S
Gill, BS → Chen, PD
Giraldez, R → Alonso-Blanco, C
Glaszmann, J-C → Deu, M
Gleba, YY → Sidorov, VA
Godwin, ID → Connolly, AG
Goffinet, B → Elsen, JM
Goffreda, J → Novy, RG
Goicoechea, PG → Alonso-Blanco, C
Gonzalez-de-Leon, D → Deu, M
Goulard, M → Monestiez, P
Goulden, DS → Timmerman, GM
Graham, MJ, Nickell, CD, Rayburn, AL: Relationship between genome size and maturity group in soybean 429
Graml, R → Schlee, P
Grant, WF → Campos, LP
Groover, AT → Ahuja, MR
Gu, MH → Liang, CZ
Guardiola, ML → Storti, E
Gupta, VS → Ramakishana, W

Haalman, D → van Hintum, TJL
Haberlach, GT → McGrath, JM
Haley, SD, Afanador, LK, Miklas, PN, Stavely, JR, Kelly, JD: Heterogeneous inbred populations are useful as sources of near-isogenic lines for RAPD markers localization 337
Halldén, C, Nilsson, N-O, Rading, IM, Säll, T: Evaluation of RFLP and RAPD markers in a comparison of *Brassica napus* breeding lines 123
Hamon, P → Deu, M
Hamon, P → Zoundjihekpon, J
Hamon, S → Zoundjihekpon, J
Harel, E → Zamir, D
Harte, C, de Halac, IN: Gene-dependent male sterility and plastomes in *Oenothera* 249
Hasegawa, K → Ogihara, Y
Hayes, PM → Chen, FQ
Héber, D, Fauré, S, Olivieri, I: Genetic, phenotypic, and environmental correlations in black medic, *Medicago lupulina* L., grown in three different environments 604
Helgeson, JP → McGrath, JM
Heredia-Diaz, O → Chao, S
Hervieu, F, Bannerot, H, Pelletier, G: A unique cytoplasmic male sterility (CMS) determinant is present in three *Phaseolus* species characterized by different mitochondrial genomes 314
Hesemann, C-U → Pfeil, U
Heslop-Harrison, JS → Schmidt, T
Heun, M → Castagna, R
Higo, H → Kishimoto, N
Higo, K → Ksihimoto, N
Hilu, KW → M'Ribu, HK
Hodge, GR → Huber, DA
Hofstra, H → Wolff, K
Hogarth, DM → Mirzawan, PDN
Hong, J → Yeh, FC
Huang, H, Dane, F, Norton, JD: Allozyme diversity in Chinese, Seguin and American chestnut (*Castanea* spp.) 981
Huber, DA, White, TL, Hodge, GR: Variance component estimation techniques compared for two mating designs with forest genetic architecture through computer simulation 236
Hubert, N → Delourme, R
Huigen, DJ → Jacobsen, E
Huisman, JG → FLipse, E
Humphreys, MW → Thomas, HM
Hussain, A → Erskine, W
Hymowitz, T → Kollipara, KP

Inzé, D → Storti, E
Iraçabal, B, Labarère, J: Restriction site and length polymorphism of the rDNA unit in the cultivated basidiomycete *Pleurotus cornucopia* 824
Isaac, PG → Dirlewanger, E
Ishiki, K → Watanabe, KN
Islam, N, Evans, EJ: Influence of lodging and nitrogen rate on the yield and yield attributes of oilseed rape (*Brassica napus* L.) 530

Jack, PL → Phillips, WJ
Jacobs, M → Del-Favero, J
Jacobsen, E → Flipse, E
Jacobsen, E, Daniel, MK, Bergervoet-van Deelen, JEM, Huigen, DJ, Ramanna, MS: The first and second backcross progeny of the intergeneric fusion hybrids of potato and tomato after crossing with potato 181
Jacobsen, HJ → Mejia-Jiménez, A
Jain, A, Bhatia, S, Banga, SS, Prakash, S, Lakshmikumaran, M: Potential use of random amplified polymorphic DNA (RAPD) technique to study the genetic diversity in Indian mustard (*Brassica juncea*) and its relationship to heterosis 116
Jena, KK → Multani, DS
Jensen, J → Wang, CS
Jermstad, KD → Ahuja, MR
Jones, DA → Balint-Kurti, PJ
Jones, JDG → Balint-Kurti, PJ
Jung, C → Boudry, P

Kagan-Zur, V → Lapidot, M
Kameya, T → Kisaka, H
Kedar, N → Zamir, D
Keller, B → Schachermayr, G
Keller, B → Siedler, H
Kelly, JD → Haley, SD
Kerr, R → Vries, AG de
Khush, GS → Multani, DS
Kilian, A → Zhou, J
Kim-Lee, H → McGrath, JM
Kisaka, H, Kameya, T: Production of somatic hybrids between *Daucus carota* L. and *Nicotiana tabacum* 75
Kishimoto, N, Higo, H, Abe, K, Arai, S, Salto, A, Higo, K: Identification of the duplicated segments in rice chromosomes 1 and 5 by linkage analysis of cDNA markers of known functions 722
Kleinhofs, A → Zhou, J
Knapp, SJ → Devey, ME
Kobak, C → Novy, RG
Kollipara, KP, Singh, L, Hymowitz, T: Genetic variation of trypsin and chymotrypsin inhibitors in pigeonpea [*Cajanus cajan* (L.) Millsp.] and its wild relatives 986
Koning, GJ de, Weller, JI: Efficiency of direct selection on quantitative trait loci for a two-trait breeding objective 669
Koning, JRA de → Kreike, CM
Kowyama, Y, Kunz, C, Lewis, I, Newbigin, E, Clarke, AE, Anderson MA: Self-compatibility in a *Lycopersicon peruvianum* variant (LA2157) is associated with a lack of style S-RNase activity 859
Kreike, CM, Koning, JRA de, Vinke, JH, Ooijen, JW van, Stiekema, WJ: Quantitatively-inherited resistance to *Globodera pallida* is dominated by one major locus in *Solanum spegazzinii* 764
Kunz, C → Kowyama, Y

Labarère, J → Iraçabal, B
Lafiandra, D → D'Ovidio, R
Lagu, MD → Ramakishana, W
Lakshmikumaran, M → Jain, A
Lanaud, C → Besse, P
Lanaud, C → Deu, M
Lanaud, C → Laurent, V
Lancelin, D → Vermeulen, A
Landi, P → Frascaroli, E
Landi, P → Sari-Gorla, M
Landry, BS → Delourme, R
Lane Rayburn, A → Biradar DP
Lapidot, M, Bar-Zvi, D, Kagan-Zur, V, Mizrahi, Y: Identification of the double genome donor in spontaneous triploid tomato plants by RFLP analysis 914
Lark, KG, Orf, J, Mansur, LM: Epistatic expression of quantitative trait loci (QTL) in soybean [*Glycine max* (L.) Merr.] determined by QTL association with RFLP alleles 486
Laublin, G → Birhman, RK
Laurent, V, Risterucci, AM, Lanaud, C: Genetic diversity in cocoa revealed by cDNA probes 193
Lebrun, P → Besse, P
Lee, M → Freymark, PJ
Lee, M → Veldboom, LR
Lefèvre, F, Pichot, C, Pinon, J: Intra- and interspecific inheritance of some components of the resistance to leaf rust (*Melamspora larici-populina* Kleb.) in poplars 501
Leggett, JM → Thomas, HM
Leong, SA → Smith, JR
Leroy, F → Castagnone-Sereno, P
Lewis, I → Kowyama, Y
Liang, CZ, Gu, MH, Pan, XB, Liang, GH, Zhu, LH: RFLP tagging of a new semidwarfing gene in rice 898
Liang, GH → Liang, CZ
Lin, H → Zheng, K
Link, W → Melchinger, AE
Littlejohn, GM, Pienaar, R de V: *Thinopyrum distichum* chromosome morphology and C-band distribution 949
Liu, BH → Devey, ME
Liu, CJ, Gale, MD: The genetical control and tissue-specificity of esterase isozymes in hexaploid wheat 796
Llaca, V, Delgado Salinas, A, Gepts, P: Chloroplast DNA as an evolutionary marker in the *Phaseolus vulgaris* complex 646
Loeschcke, V → Damgaard, C
Long, T → Vries, AG de
Lorenz, M, Weihe, A, Börner, T: DNA fragments of organellar origin in random amplified polymorphic DNA (RAPD) patterns of sugar beet (*Beta vulgaris* L.) 775
Lu, J → Zheng, K
Lucas, JA → Tham, FY

Maga, G → Castagna, R
Magill, JM → Ulian, EC
Mandolino, G → Martinelli, L
Mangin, B → Elsen, JM
Mansur, LM → Lark, KG
Mantell, SH → Matibiri, EA
Mariotti, D → Caretto, S
Martinelli, L, Mandolino, G: Genetic transformation and regeneration of transgenic plants in grapevine (*Vitis rupestris S.*) 621
Martinson, CA → Freymark, PJ
Masuelli, R → Watanabe, KN
Matibiri, EA, Mantell, SH: Cybridization in *Nicotiana tabacum* L. using double, inactivation of parental protoplasts and post-fusion selection based on nuclear-

encoded and chloroplast-encoded marker genes 1017
McClelland, M → Al-Janabi, SM
McGrath, JM, Wielgus, SM, Uchytil, TF, Kim-Lee, H, Haberlach, GT, Williams, CE, Helgeson JP: Recombination of *Solanum brevidens* chromosomes in the second backcross generation from a somatic hybrid with *S. tuberosum* 917
McNicol, JW → Barker, H
Mejia-Jiménez, A, Muñoz, C, Jacobsen, HJ, Roca, WM, Singh, SP: Interspecific hybridization between common and tepary beans: increased hybrid embryo growth, fertility, and efficiency of hybridization through recurrent and congruity backcrossing 324
Melchinger, AE, Singh, M, Link, W, Utz, HF, von Kittlitz, E: Heterosis and gene effects of multiplicative characters: theoretical relationships and experimental results from *Vicia faba* L. 343
Melz, G → Pickering, RA
Menkir, A, Bramel-Cox, PJ, Witt, MD: Comparison of trait associations in adapted× exotic matings of sorghum developed by two introgression methods 877
Meredith, MR → Thomas, HM
Messmer, MM → Siedler, H
Meuwissen, THE → Vries, AG de
Mikhailova, EI → Fedotova, Yu. S
Miklas, PN → Haley, SD
Miller, AL → Timmerman, GM
Mirzawan, PDN, Cooper, M, DeLacy, IH; Hogarth, DM: Retrospective analysis of the relationships among the test environments of the Southern Queensland sugarcane breeding programme 707
Mizrahi, Y → Lapidot, M
Möllers, C, Frei, U, Wenzel, G: Field evaluation of tetraploid somatic potato hybrids 147
Monestiez, P → Charmet, G
Monestiez, P, Goulard, M, Charmet, G: Geostatistics for spatial genetic structures: study of wild populations of perennial ryegrass 33
Montavon → Spangenberg, G
Morgan, WG → Thomas, HM
M'Ribu, HK, Hilu, KW: Detection of interspecific and intraspecific variation in *Panicum* millets through random amplified polymorphic DNA 412
Mulrooney, DM → Chen, FQ
Multani, DS, Jena, KK, Brar, DS, de los Reyes, BG, Angeles, ER, Khush, GS: Development of monosomic alien addition lines and introgression of genes from *Oryza australiensis* Domin. to cultivated rice *O. sativa* L. 102
Muñoz, C → Mejia-Jiménez, A
Musket, T → Chao, S

Nagel, J → Spangenberg, G
Navot, N → Zamir, D
Neale, DB → Ahuja, MR
Neale, DB → Devey, ME
Newbigin, E → Kowyama, Y
Nickell, CD → Graham, MJ
Nicolas, D → Besse, P
Nicolodi, C → Caretto, S
Nieto-Taladriz, MT, Perretant, MR, Rousset, M: Effect of gliadins and HMW and LMW subunits of glutenin on dough properties in the F_6 recombinant inbred lines from a bread wheat cross 81
Nilsson, N-O → Halldén, C
Norcott, KA → Balint-Kurti, PJ
Norton, JD → Huang, H
Novy, RG, Kobak, C, Goffreda, J, Vorsa, N: RAPDs identify varietal misclassification and regional divergence in cranberry [*Vaccinium macrocarpon* (Ait.) Pursh] 1004

Ogihara, Y → Raina, SN
Ogihara, Y, Shimizu, H, Hasegawa, K, Tsujimoto, H, Sasakuma, T: Chromosome assignment of four photosynthesis-related genes and their variability in wheat species 383
Olbrich-Bludau, A → Schlee, P
Olivieri, I → Héber, D
Ooijen, JW van → Kreike, CM
Openshaw, SJ → Fabrizius, MA
Orellana, J → Fernández-Calvín, B
Orf, J → Lark, KG
Orrillo, M → Watanabe, KN
Osborn, TC → Diers, BW
Osborn, TC → Thormann, CE

Page, NJ → Edwards, MD
Pan, XB → Liang, CZ
Paterson, AH → Wang, G-L
Pawar, SE → Reddy, KS
Pellegrini, MG → Storti, E
Pelletier, G → Hervieu, F
Peltier, D, Farcy, E, Dulieu, H, Bervillé, A: Origin, distribution and mapping of RAPD markers from wild *Pentunia* species in *Petunia hybrida* Hort lines 637
Pereira, A, da S, Tal, GCC, Yada, RY, Coffin, RH, Souza-Machado, V: Potential for improvement by selection for reducing sugar content after cold storage for three potato populations 678
Perenzin, M → Castagna, R
Pérez de la Vega, M, Sáenz-de-Miera, LE, Allard, RW: Ecogeographical distribution and differential adaptedness of multilocus allelic associations in Spanish *Avena sativa* L. 56
Perretant, MR → Nieto-Taladriz, MT
Peters-Van Rijn, J → Wolff, K
Petersen, C → Al-Janabi, SM
Pfeil, U, van der Kuip, H, Hesemann, C-U: Non-radioactive organization and transcript analysis of the ATPase subunit 6 gene region in the mitochondrial genome from fertile and sterile (CMS) forms of wheat and triticale 231
Philipp, U, Wehling, P, Wricke, G: A linkage map of rye 243
Phillips, WJ, Chapman, CGD, Jack, PL: Molecular cloning and analysis of one member of a polymorphic family of GACA-hybridising DNA repeats in tomato 845
Piano, E → Annicchiarico, P
Pichot, C → Lefèvre, F
Pickering, RA, Timmerman, GM, Cromey, MG, Melz, G: Characterisation of progeny from backcrosses of triploid hybrids between *Hordeum vulgare* L. (2x) and *H. bulbosum* L. (4x) to *H. vulgare* 460
Pienaar, R de V → Littlejohn, GM
Pillen, K → Boudry, P
Pinon, J → Lefèvre, F
Pirchner, F → Schlee, P
Pleban, T → Zamir, D
Porceddu, E → D'Ovidio, R
Potrykus, I → Spangenberg, G
Prakash, S → Jain, A
Prehn, D → Chen, FQ

Qai, Q, Bullen, MR: Analysis of genome-specific sequences in *Phleum* species: identification and use for study of genomic relationships 831
Qian, H → Zheng, K

Rabinowitch, H → Zamir, D
Rading, IM → Halldén, C
Raelson, JV → Campos, LP
Raina, SN, Ogihara, Y: Chloroplast DNA diversity in *Vicia faba* and its close wild relatives: implications for reassessment 261
Rajeshwari, R, Sivaramakrishnan, S, Smith, RL, Subrahmanyam, NC: RFLP analysis of mitochondrial DNA from cytoplasmic male-sterile lines of pearl millet 441
Ramakishana, W, Lagu, MD, Gupta, VS, Ranjekar, PK: DNA fingerprinting in rice using oligonucleotide probes specific for simple repetitive DNA sequences 402
Ramanna, MS → Jacobsen E
Ranade, S → Dirlewanger, E
Ranjekar, PK → Ramakishana, W
Rayburn, AL → Graham, MJ
Reddy, KS, Pawar, SE, Bhatia, CR: Inheritance of powdery mildew (*Erysiphe polygoni* DC) resistance in mungbean (*Vigna radiata* L. Wilczek) 945
Renard, M → Delourme, R
Renard, M → Eber, F
Risterucci, AM → Laurent, V
Ritland, K → Fu, YB
Roberts, EH → Erskine, W
Roca, A → Alonso-Blanco, C
Roca, WM → Mejia-Jiménez, A
Rocheford, TR: Change in ribosomal DNA intergenic spacer-length composition in maize recurrent selection populations. I. Analysis of BS13, BSSS, and BSCB1 541
Rodolphe, F → Gerber, S
Rottmann, O → Schlee, P
Rousset, M → Nieto-Taladriz, MT
Rowland, RE → Yao, J-L
Rutledge, JJ → Wang, CS

Sáenz-de-Miera, LE → Pérez de la Vega M
Saghai Maroof, MA; Zhang, Qifa, Biyashev, RM: Molecular marker analyses of powdery mildew resistance in barley 733
Salamini, F → Castagna, R
Säll, T → Halldén, C
Salto, A → Kishimoto, N
Sangiacomo, MA, Sullivan, JA: Introgression of wild species into the cultivated

strawberrry using synthetic octoploids 349
Sarfatti, M → Zamir, D
Sari-Gorla, M, Ferrario, S, Frascaroli, E, Frova, C, Landi, P, Villa, M: Sporophytic response to pollen selection for Alachlor tolerance in maize 812
Sasakuma, T → Ogihara, Y
Saumitou-Laprade, P → Boudry, P
Schachermayr, GM, Siedler, H, Gale, MD, Winzeler, H, Winzeler, M, Keller, B: Identification and localization of molecular markers linked to the *Lr9* leaf rust resistance gene of wheat 110
Schachermayr, GM → Siedler, H
Schallenberger, E → Schlee, P
Schams, D → Schlee, P
Schlee, P, Graml, R, Schallenberger, E, Schams, D, Rottmann, O, Olbrich-Bludau, A, Pirchner, F: Growth hormone and insulin-like growth factor I concentrations in bulls of various growth hormone genotypes 497
Schmidt, T, Schwarzacher, T, Heslop-Harrison, JS: Physical mapping of rRNA genes by fluorescent in-situ hybridization and structural analysis of 5S rRNA genes and intergenic spacer sequences in sugar beet (*Beta vulgaris*) 629
Schnable, PS → Wise RP
Schwarzacher, T → Schmidt, T
Seguin, M → Besse, P
Sévignac, M → Adam-Blondon, AF
Shakhovsky, AM → Sidorov, VA
Shen, B → Zheng, K
Shi, J → Yeh, FC
Shimizu, H → Ogihara, Y
Sidorov, VA, Yevtushenko, DP, Shakhovsky, AM, Gleba, YY: Cybrid production based on mutagenic innactivation of protoplasts and rescuing of mutant plastids in fusion products: potato with plastome from *S. bulbocastanum* and *S. pinnatisectum* 525
Siedler, H → Schachermayr, GM
Siedler, H, Messmer, MM, Schachermayr, GM, Winzeler, H, Winzeler, M, Keller, B: Genetic diversity in European wheat and spelt breeding material based on RFLP data 994
Simianer, H: Derivation of single-locus relationship coefficients conditional on marker information 548
Singh, L → Kollipara, KP
Singh, M → Melchinger, AE
Singh, SP → Meija- Jiménez, A
Sivaramakrishnan, S → Rajeshwari, R
Skogsmyr, I: Gene dispersal from transgenic potatoes to conspecifics: a field trial 770
Sleper, DA → Xu, WW
Smirnov, VG → Fedotova, Yu. S
Smith, JR, Leong, SA: Mapping of a *Magnaporthe grisea* locus affecting rice (*Oryza sativa*) cultivar specificity 901
Smith, RH → Ulian, EC
Smith, RL → Rajeshwari, R
Sobral, BWS → Al-Janabi, SM
Solomon-Blackburn, RM → Barker, H
Somers, DJ, Filion, WG: The influence of the rye genome on the accumulation of HSP18 and HSP70 transcripts in a wheat genetic background 298
Sorensen, DA → Wang, CS
Sosnikina, SA → Fedotova, Yu. S
Souza-Machado, V → Pereira, A da S
Spangenberg, G, Vallés, MP, Wanz, ZY, Montavon, P, Nagel, J, Potrykus, I: Asymmetric somatic hybridization between tall fescue (*Festuca arundinacea* Schreb.) and irradiated Italian ryegrass (*Lolium multiflorum* Lam.) protoplasts 509
Stavely, JR → Haley, SD
Stewart, SC: Simultaneous estimation of pollen contamination and pollen fertilities of individual trees in conifer seed orchards using multilocus genetic data 593
Stiekema, WJ → Kreike, CM
Storti, E, Bogani, P, Bettini, P, Bittini, P, Guardiola, ML, Pellegrini, MG, Inzé, D, Buiatti, M: Modification of competence for in vitro response to *Fusarium oxysporum* in tomato cells. II. Effect of the integration of *Agrobacterium tumefaciens* genes for auxin and cytokinin synthesis 89
Stricker, C → Fernando, RL
Subrahmanyam, NC → Rajeshwari, R
Sullivan, JA → Sangiacomo, MA
Summerfield, RJ → Erskine, W

Tahir, M → Erskine, W
Tal, GCC → Pereira, A da S
Tanguy, X → Eber, F
Tanksley, SD → Wang Z
Tersac, M, Blanchard, P, Brunel, D, Vincourt, P: Relations between heterosis and enzymatic polymorphism in populations of cultivated sunflowers (*Helianthus annuus* L.) 49
Tham, FY, Lucas, JA, Wilson, ZA: DNA fingerprinting of *Peronospora parasitica*, a biotrophic fungal pathogen of crucifers 490
Thomas, H → Thomas, HM
Thomas, HM, Morgan, WG, Meredith, MR, Humphreys, MW, Thomas, H, Leggett, JM: Identification of parental and recombined chromosomes in hybrid derivatives of *Lolium mutliflorum* × *Festuca pratensis* by genomic in situ hybridization 909
Thormann, CE, Ferreira, ME, Camargo, LEA, Tivang, JG, Osborn, TC: Comparison of RFLP and RAPD markers for estimating genetic relationships within and among cruciferous species 973
Tier, B → Vries, AG de
Timmerman, GM → Pickering, RA
Timmerman, GM, Frew, TJ, Weeden, NF, Miller, AL, Goulden, DS: Linkage analysis of *er-1*, a recessive *Pisum sativum* gene for resistance to powdery mildew fungus (*Erysiphe pisi* D. C.) 1050
Tio-Touré, B → Zoundjihekpon, J
Tivang, JG → Thormann, CE
Trick, H, Zelcer, A, Bates, GW: Chromosome elimination in asymmetric somatic hybrids: effect of gamma dose and time in culture 965
Tsujimoto, H → Chen, PD
Tsujimoto, H → Ogihara, Y
Uchytil, TF → McGrath, JM
Ulian, EC, Magill, JM, Smith, RH: Expression and inheritance pattern of two foreign genes in petunia 433
Utz, HF → Melchinger, AE

Vallée, P → Eber, F
Vallés, MP → Spangenberg, G
Van Dijk, H → Boudry, P
van der Kuip, H → Pfeil, U
van Hintum, TJL, Haalman, D: Pedigree analysis for composing a core collection of modern cultivars, with examples from barley (*Hordeum vulgare* s lat.) 70
van-Oss, H → Zamir, D
Vauterin, M → Del-Favero, J
Vega, S → Watanabe, KN
Veldboom, LR, Lee, M, Woodman, WL: Molecular marker-facilitated studies in an elite maize population: I. Linkage analysis and determination of QTL for morphological traits 7
Vermeulen, A, Desprez, B, Lancelin, D, Bannerot, H: Relationships among *Cichorium* species and related genera as determined by analysis of mitochondrial RFLPs 159
Villa, M → Sari-Gorla, M
Vincourt, P → Tersac, M
Vinke, JH → Kreike, CM
Visser, RGF → Flipse, E
Vivar, H → Chen, FQ
von Kittlitz, E → Melchinger, AE
Vorsa, N → Novy, RG
Vries, AG de, Kerr, R, Tier, B, Long, T, Meuwissen, THE: Gametic imprinting effects on rate and composition of pig growth 1037

Waines, JG → Ehdaie, B
Wajnberg, E → Castagnone-Sereno, P
Wallace, AR → Cross, RJ
Wang, CS, Gianola, D, Sorensen, DA, Jensen, J, Christensen, A, Rutledge, JJ: Response to selection for litter size in Danish Landrace pigs: a Bayesian analysis 220
Wang, G-L, Paterson, AH: Assessment of DNA pooling strategies for mapping of QTLs 355
Wang, Z, Weber, JL, Zhong, G, Tanksley, SD: Survey of plant short tandem DNA repeats 1
Wang, ZY → Spangenberg, G
Warner, RL → Zhou, J
Watanabe, KN, Orrillo, M, Vega, S, Masuelli, R, Ishiki, K: Potato germ plasm enhancement with disomic tetraploid *Solanum acaule*. II. Assessment of breeding value of tetraploid F_1 hybrids between tetrasomic tetraploid *S. tuberosum* and *S. acaule* 135
Weber, JL → Wang, Z
Weeden, NF → Timmerman, GM
Wehling, P → Philipp, U
Weihe, A → Lorenz, M
Weller, JI → Koning, GJ de
Wenzel, G → Möllers, C
Weyens, G → Del-Favero, J
White, TL → Huber, DA
Wieber, R → Boudry, P
Wielgus, SM → McGrath, JM

Williams, CE → McGrath, JM
Wilson, ZA → Tham, FY
Winzeler, H → Schachermayr, G
Winzeler, H → Siedler, H
Winzeler, M → Schachermayr, G
Winzeler, M → Siedler, H
Wise, RP, Schnable, PS: Mapping complementary genes in maize: positioning the *rf1* and *rf2* nuclear-fertility restorer loci of Texas (T) cytoplasm relative to RFLP and visible markers 785
Witt, MD → Menkir, A
Wolff, K, Peters-Van Rijn, J, Hofstra, H: RFLP analysis in chrysanthemum. I. Probe and primer development 472
Woodman, WL → Freymark, PJ
Woodman, WL → Veldboom, LR
Wricke, G → Philipp, U
Wu, HK → Chung, MC
Wu, R-L: Quantitative genetics of yield breeding for *Populus* short rotation culture. III. Efficiency of indirect selection on tree geometry 803

Xu, G → Chao, S
Xu, WW, Sleper, DA: Phylogeny of tall fescue and related species using RFLPs 685

Yada, RY → Pereira, A da S
Yadav, OP: Effect of A_1 cytoplasm on the combining ability for smut severity in pearl millet 28
Yang, R → Yeh, FC
Yao, J-L, Cohen, D, Rowland, RE: Plastid DNA inheritance and plastome-genome incompatibility in interspecific hybrids of *Zantedeschia* (Araceae) 255
Ye, Z → Yeh, FC
Yeh, FC → Chong, DKX
Yeh, FC, Shi, J, Yang, R, Hong, J, Ye, Z: Genetic diversity and multilocus associations in *Cunninghamia lanceolata* (Lamb.) Hook from The People's Republic of China 465
Yen, Y, Baenziger, PS: Wheat chromosome 2D carries genes controlling the activity of two DNA-degrading enzymes 30
Yevtushenko, DP → Sidorov, VA

Zakay, Y → Zamir, D
Zamir, D → Eshed, Y
Zamir, D, Ekstein-Michelson, I, Zakay, Y, Navot, N, Zeidan, M, Sarfatti, M, Eshed, Y, Harel, E, Pleban, T, van-Oss, H, Kedar, N, Rabinowitch, H, Czosnek, H: Mapping and introgression of a tomato yellow leaf curl virus tolerance gene, *TY-1* 141
Zeidan, M → Zamir, D
Zelcer, A → Trick, H
Zhang, Qifa → Saghai Maroof, MA
Zheng, K, Qian, H, Shen, B, Zhuang, J, Lin, H, Lu, J: RFLP-based phylogenetic analysis of wide compatibility varieties in *Oryza sativa* L. 65
Zhong, G → Wang, Z
Zhou, J, Kilian, A, Warner, RL, Kleinhofs, A: An NADH nitrate reductase gene copy appears to have been deleted in barley 589
Zhu, LH → Liang, CZ
Zhuang, J → Zheng, K
Zivy, M → Bahrman, N
Zivy, M → Devaux, P
Zoundjihekpon, J, Hamon, S, Tio-Touré, B, Hamon, P: First controlled progenies checked by isozymic markers in cultivated yams *Dioscorea cayenensis-rotundata* 1011

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

B. G. Atkinson (London, Canada)
W. Barz (Münster, Germany)
B. Beavis (Johnston, USA)
C. D. Chase (Gainsville, USA)
S. Cox (Manhattan, USA)
J. Dudley (Urbana, USA)
W. Ecke (Göttingen, Germany)
M. D. Edwards (LeSueur, USA)
G. Eisen (Raleigh, USA)
K. Esser (Bochum, Germany)
U. Frei (Grünbach, Germany)
W. Friedt (Gießen, Germany)
H. Gäde (Gatersleben, Germany)
P. Gepts (Davis, USA)
B. Gill (Manhattan, USA)
J. Giovanoi (College Station, USA)
F. G. Gmitter (Lake Alfred, USA)
A. Graner (Grünbach, Germany)
S. D. Haley (East Lansing, USA)
D. Hanna (Tifton, USA)
L. L. Hannah (Gainsville, USA)
R. Hannemann (Sturgeon Bay, USA)
J. F. Hayes (Ste.-Ann-de-Bellevue, Canada)
T. Helentjaris (Tucson, USA)
M. Heun (Köln, Germany)
A. Iezzoni (East Lansing, USA)
A. Jahoor (Freising, Germany)
R. Johnson (Lincoln, USA)
R. Johnson (Thomasboro, USA)
P. Karvonen (Oulu, Finland)
B. Kennedy (Guelph, Canada)
R. Kesseli (Manhattan, USA)
G. B. Kiss (Szeged, Hungary)
S. J. Knapp (Corvallis, USA)
G. Kochert (Athens, USA)
H. U. Koop (München, Germany)
S. Korbin (Urbana, USA)
Z. Larin (Versailles, France)
M. Lee (Ames, USA)
D. Le Pastier (Versailles, France)
J. J. Lubby (St. Paul, USA)
T. Mackay (Raleigh, USA)
S. McKenzie (Lafayette, USA)
B. Maunder (Lubbock, USA)
S. McCouch (Ithaca, USA)
R. Meinhard (Münster, Germany)
J. Mullet (College Station, USA)
J. Müller (Münster, Germany)
G. Nankong (Raleigh, USA)
H. J. Newbury (Birmingham, USA)
H. Ngyen (College Station, USA)
W. Odenbach (Berlin, Germany)
T. C. Osborn (Madison, USA)
J. D. Palmer (Bloomington, USA)
J. J. Pavak (Aberdeen, UK)
C. F. Quiros (Davis, USA)
A. L. Rayburn (Urbana, USA)
E. E. Roos (Fort Collins, USA)
M. Saghai-Maroof (Blacksburg, USA)
O. Savolainen (Oulu, Finland)
H. E. Schaffer (Raleigh, USA)
R. J. Schnell (Miami, USA)
G. Schweizer (Freising, Germany)
K. Senertz (College Station, USA)
R. Shoemaker (Ames, USA)
J. Smith (Princeton, USA)
M. E. Sorrells (Ithaca, USA)
C. Stuber (Raleigh, USA)
L. Talbert (Bozeman, USA)
Y. Thorne (Raleigh, USA)
S. Tingey (Wilmington, USA)
R. Töpfer (Köln, Germany)
F. Vedel (Paris, France)
J. Weller (Bet Dagan, Israel)
J. Wendell (Ames, USA)
M. Wilson (Slater, USA)
H. Walther (Grünbach, Germany)
M. Widrlechner (Ames, USA)
M. Wilson (Slater, USA)
V. V. Ziuganov (Moscow, Russia)

as well as the assistance of Mrs. Ritta Wehrer at the editorial office.